

MATERIAL SAFETY DATA SHEET

Bengal Flea & Tick Conc.

1. COMPANY & PRODUCT INFORMATION

Product: Bengal Flea & Tick Concentrate Product #87540

EPA Reg. No. 53883-228-68543

Emergency Telephone No.: (225) 753-1313 (24 hours)

2. HAZARDOUS INGREDIENTS*

Chemical Name	Wt. %	CAS #	PEL/TLV:
Bifenthrin	0.3%	#82657-04-3	none

COMMENTS: Ingredients not identified are proprietary or non-hazardous. Values are not product specifications.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS:

- Eggshell white liquid with a mild odor.
- Thermal decomposition and burning may form toxic by-products.
- For large exposures or fire, wear personal protective equipment.
- Highly toxic to fish and aquatic organisms. Keep out of drains and watercourses.
- Moderately toxic if inhaled.

POTENTIAL HEALTH EFFECTS: Effects from overexposure may result from swallowing, inhaling or coming into contact with the skin or eyes. Symptoms of overexposure include bleeding from the nose, tremors and convulsions. Contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours.

MEDICAL CONDITIONS AGGRAVATED: None presently known.

COMMENTS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. FIRST AID MEASURES

EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: If swallowed, IMMEDIATELY call a poison control center or doctor for treatment advice. DO NOT give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Never give anything by mouth to an unconscious person.

INHALATION: Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN: For skin effects, a highly efficient therapeutic agent for bifenthrin exposure is topical application of tocopherol acetate (Vitamin E).

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: Water-based product. Does not flash.

EXTINGUISHING MEDIA: Foam, CO₂ or dry chemical. Soft stream water fog only if necessary. Contain all runoff.

FIRE / EXPLOSION HAZARDS: This material may support combustion at elevated temperatures.

FIRE FIGHTING PROCEDURES: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, chlorine, fluorine, hydrogen chloride and hydrogen fluoride.

6. SPILL/LEAK PROCEDURES

RELEASE NOTES: Isolate and post spill area. Wear protective clothing and personal protective equipment as prescribed in Section 8, "Exposure Controls/Personal Protection". Keep unprotected persons and animals

out of the area. Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with a non-combustible absorbent such as clay, sand or soil. Vacuum, shovel or pump waste into a drum and label contents for disposal. To clean and neutralize spill area, tools and equipment, wash with a suitable solution of caustic or soda ash, and an appropriate alcohol (i.e., methanol, ethanol or isopropanol). Follow this by washing with a strong soap and water solution. Absorb, as above, any excess liquid and add to the drums of waste already collected. Repeat if necessary. Dispose of drummed waste according to the method outlined in Section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Store in a cool, dry, well-ventilated place. Do not use or store near heat, open flame or hot surfaces. Store in original containers only. Keep out of reach of children and animals. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use local exhaust at all process locations where vapor or mist may be emitted. Ventilate all transport vehicles prior to unloading.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For splash, mist or spray exposure, wear chemical protective goggles or a face shield.

RESPIRATORY: For splash, mist or spray exposure wear, as a minimum, a properly fitted air-purifying respirator with an organic vapor cartridge or canister with any R, P or HE pre-filter (approved by U.S. NIOSH/MSHA, EU CEN or comparable certification organization). Respirator use and selection must be based on airborne concentrations.

PROTECTIVE CLOTHING: Depending upon concentrations encountered, wear coveralls or long-sleeved uniform and head covering. For larger exposures as in the case of spills, wear full body cover barrier suit, such as a PVC suit. Leather items - such as shoes, belts and watchbands - that become contaminated should be removed and destroyed. Launder all work clothing before reuse (separately from household laundry).

WORK HYGIENIC PRACTICES: Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking or using tobacco. Shower at the end of the workday.

GLOVES: Wear chemical protective gloves made of materials such as rubber, neoprene, or PVC. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

COMMENTS: Personal protective recommendations for mixing or applying this product are prescribed on the product label. Information stated above provides useful, additional guidance for individuals whose use or handling of this product is not guided by the product label.

9. PHYSICAL PROPERTIES

ODOR: Mild chemical odor

APPEARANCE: off-white liquid

pH: 3.50

SOLUBILITY IN WATER: Miscible in water

SPECIFIC GRAVITY: 0.986 @ 26°C (water =1)

MOLECULAR WEIGHT: 422.88 (bifenthrin)

WEIGHT PER VOLUME: 8.23 lb/gal.

10. STABILITY & REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

CONDITIONS TO AVOID: Excessive heat and fire.

11. TOXICOLOGICAL

DERMAL LD50: >2000 mg/kg (rabbit)

ORAL LD50: >500 mg/kg (rat)

INHALATION LC50: >10 mg/L/1 hr (rat)

ACUTE EFFECTS FROM OVEREXPOSURE: This product has moderate inhalation, and low oral and dermal toxicity. It is practically non-irritating to the eyes and non-irritating to the skin. Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity

including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours.

CHRONIC EFFECTS FROM OVEREXPOSURE: No data available for the formulation. In studies with laboratory animals, bifenthrin did not cause reproductive toxicity or teratogenicity. Tremors were associated with repeated exposure of laboratory animals to bifenthrin. In lifetime feeding studies conducted with rodents, a slight increase in the incidence of urinary bladder tumors at the highest dose in male mice was considered to be an equivocal response, not evidence of a clear compound-related effect. The overall absence of genotoxicity has been demonstrated in mutagenicity tests with bifenthrin.

CARCINOGENICITY: IARC: Not listed
NTP: Not listed
OSHA: Not listed
OTHER: Not Listed (ACGIH)

12. ENVIRONMENTAL INFORMATION

Unless otherwise indicated, the data presented below are for the active ingredient.

ENVIRONMENTAL DATA: In soil, bifenthrin is stable over a wide pH range and degrades at a slow rate which is governed by soil characteristics. Bifenthrin will also persist in aquatic sediments. Bifenthrin has a high Log Pow (>6.0), a high affinity for organic matter, and is not mobile in soil. Therefore, there is little potential for movement into ground water. There is the potential for bifenthrin to bioconcentrate (BCF = 11, 750).

ECOTOXICOLOGICAL INFORMATION: Bifenthrin is highly toxic to fish and aquatic arthropods and LC50 values range from 0.0038 to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on mollusks at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds (LD50 values range from 1,800 mg/kg to >2,150 mg/kg).

13. DISPOSAL

DISPOSAL METHOD: Open dumping or burning of this material or its packaging is prohibited. If spilled material cannot be disposed of by use according to label instructions, an acceptable method of disposal is to incinerate in accordance with local, state and national environmental laws, rules, standards and regulations. However, because acceptable methods of disposal may vary by location and regulatory requirements may change, the appropriate agencies should be contacted prior to disposal.

EMPTY CONTAINER: Non-returnable containers which held this material should be cleaned, prior to disposal, by triple rinsing. Containers which held this material may be cleaned by being triple-rinsed, and recycled, with the rinsate being incinerated. Do not cut or weld metal containers. Vapors that form may create an explosion hazard.

14. TRANSPORTATION INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

REPORTABLE QUANTITY (RQ): None

U.S. SURFACE FREIGHT CLASS: Insecticides, NOI, other than Poison. NMFC Item 102120.

MARINE POLLUTANT #1: bifenthrin (Severe Marine Pollutant)

OTHER SHIPPING INFORMATION: When shipped by highway, railroad or air, in packages <119 gallons/450 L in volume: Not regulated. Non-bulk packages by water and bulk packages by highway, railroad or water, the material is Class 9: Environmentally hazardous substances, liquid, n.o.s. (bifenthrin 2.4%), 9, UN3082, III. NAERG Guide 171.

15. REGULATORY INFORMATION

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): Not listed

SECTION 311 HAZARD CATEGORIES (40 CFR 370): Immediate, Delayed

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The threshold planning quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs. This product contains the following ingredients with a TPQ of less than 10,000 lbs.: None

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372): This product contains the following ingredients subject to Section 313 reporting requirements: (bifenthrin)

COMMENTS: U.S. EPA Signal Word : CAUTION

Date Revised: April 16, 2010



Bengal Products Inc.
13739 Airline Highway
Baton Rouge, LA 70817
(225) 753-1313
www.bengal.com